MRI PROTOCOLS PATIENT PREPS



PATIENT PREP Anal Fistula

- Nothing to eat or drink after midnight, no caffeine morning of exam.
- Void just before exam.
- IM injection of Glucagon



PATIENT PREP Prostate

- *Nothing to eat or drink after midnight, no caffeine morning of exam.
- * Fleet enema, self-administered 1-2 hours Before arriving for exam.
- Patient should avoid sexual activity (ejaculation) 3 days prior to MRI exam.
- Void just before exam.
- IM injection of Glucagon
- Exam should be performed five or more weeks post biopsy because hemorrhage may be present and interfere with an accurate interpretation.



PATIENT PREP Rectal CA

- Nothing to eat or drink after midnight, no caffeine morning of exam.
- 1 bisacodyl suppository (Dulcolax) 10 hours prior to study
- Void just before exam.
- IM injection of Glucagon



PATIENT PREP Enterography

- 1. Starting at noon the day before you appointment:
- -Take 4 dulcolax tablets
- -Drink 1 glass of water every hour until 8 pm.
- -Nothing to eat or drink after midnight
- -Daily medications may be taken with small amounts of water.
- 2. Drink plenty of fluids after your exam.

- PO .25mg Reglan with first dose of VoLumen
- Void just before exam.
- IM injection of Glucagon after Cine Fiesta Coronal.

