

## Radiology of Indiana

Protocol	FOV (CM)	Slice	Spacing (mm)
<b>Shoulder</b>			
AX T1	16	3	1
AX PD FS	16	3	1
COR PD	15	3	1
COR T2	15	3	1
COR STIR	15	3	1
SAG PD	15	3	1
SAG T2 FS	15	3	1
AX T1 FS (if contrast)	16	3	1
AX T1 FS +C	15	3	1
COR T1 FS +C	15	3	1
<b>Shoulder Arthrogram</b>			
AX T1 FS	16	3	1
AX T2 FS	16	3	1
COR T1 FS	15	3	1
COR T2 FS	15	3	1
COR T1	15	3	1
SAG T1 FS	15	3	1
SAG PD	15	3	1
SAG T2	15	3	1
<b>Scapula</b>			
AX T1	20-25	4	0.5
AX STIR	20-25	4	0.5
AX GRE	20-25	4	0.5
COR T1	20-25	4	0.5
COR STIR	20-25	4	0.5
SAG T2	20-25	4	0.5
SAG STIR	20-25	4	0.5
AX T1 FS (if contrast)	20-25	4	0.5
AX T1 FS +C	20-25	4	0.5
COR T1 FS +C	20-25	4	0.5
<b>Elbow</b>			
SAG T2 FS	16	3	1
SAG T1	16	3	1
AX T2 FS	16	3	1
AX T1	16	3	1
COR STIR	16	3	1
COR T2	16	3	1
COR GE	16	3	1
AX T1 FS (if contrast)	16	3	1
AX T1 FS +C	16	3	1
SAG T1 FS +C	16	3	1

<b>Wrist</b>			
AX T1	10	3	1
AX T2 FS	10	3	1
COR STIR	10	3	1
COR T2	10	3	1
COR 3D GE	10	1.5	0
SAG T1	10	3	1
SAG T2 FS	10	3	1
AX T1 FS (if contrast)	10	3	1
AX T1 FS +C	10	3	1
COR T1 FS +C	10	3	1
<b>Hand</b>			
AX T2 FS	17-19	3	0.5
AX T1	17-19	3	0.5
COR GE	17-19	3	0.5
COR T2 FS	17-19	3	0.5
COR T1	17-19	3	0.5
SAG T1	17-19	3	0.5
SAG STIR	17-19	3	0.5
AX T1 FS (if contrast)	17-19	3	0.5
AX T1 FS +C	17-19	3	0.5
COR T1 FS +C	17-19	3	0.5
<b>Finger</b>			
SAG STIR	10-12	3	0.5
SAG T1	10-12	3	0.5
COR T2 FS	10-12	3	0.5
COR GE	10-12	3	0.5
COR T1	10-12	3	0.5
AX T2 FS	10-12	3	0.5
AX T1	10-12	3	0.5
AX T1 FS (if contrast)	10-12	3	0.5
AX T1 FS +C	10-12	3	0.5
COR T1 FS +C	10-12	3	0.5
<b>Upper Extremity Long Bone (Humerus, Forearm)</b>			
SAG T2 FS	32-34	4	1
SAG T1	32-34	4	1
COR STIR	32-34	4	1
COR T1	32-34	4	1
AX STIR	18-20	5	2
AX T1	18-20	5	2
AX T1 FS (if contrast)	18-20	5	2
AX T1 FS +C	18-20	5	2
COR T1 FS +C	32-34	4	1

<b>Hip</b>			
AX T1 Pelvis	36	5	1
AX T2 FS Pelvis	36	5	1
COR STIR Pelvis	36	5	1
COR T1 Pelvis	36	5	1
OBL AX T1 (both sides if bilateral)	20	4	1
COR PD FS (both sides if bilateral)	20	4	1
SAG T2 FS (both sides if bilateral)	20	4	1
<b>Sports Hernia, Athletic Pubalgia, Adductor Tear/Strain</b>			
COR T1	36	4	1
COR STIR	36	4	1
AX T2 F/S	36	5	1
AX Oblique PD	20	4	0.5
AX Oblique T2 F/S	20	4	0.5
SAG T2 F/S	22	4	0.5
<b>Unilateral Hip with and without</b>			
AX T1 Pelvis	36	5	1
AX T2 FS Pelvis	36	5	1
COR STIR Pelvis	36	5	1
COR T1 Pelvis	36	5	1
OBL AX T1 FS	20	4	1
OBL AX T1 FS +C	20	4	1
COR T1 FS +C	20	4	1
SAG T1 FS +C	20	4	1
<b>Bilateral Hips with and without</b>			
AX T1 Pelvis	36	5	1
AX T1 FS Pelvis	36	5	1
AX STIR Pelvis	36	5	1
COR STIR Pelvis	36	5	1
COR T1 FS Pelvis	36	5	1
AX T1 FS Pelvis +C	36	5	1
COR T1 FS Pelvis +C	36	5	1
<b>Knee</b>			
AX T1	15	3	1
AX T2 FS	15	3	1
COR PD	15	3	1
COR PD FS	15	3	1
SAG PD	15	3	1
SAG T2	15	3	1
SAG PD FS (STRAIGHT)	15	3	1
OBLIQUE COR T2	15	2	0.5
AX T1 FS (if contrast)	15	3	1
AX T1 FS +C	15	3	1
COR T1 FS +C	15	3	1



<b>Toe Routine</b>			
SAG STIR	13	3	0.5
SAG T1	13	3	0.5
COR T2 FS	13	3	0.5
COR PD	13	3	0.5
AX T2 FS	13	2.5	0.5
AX PD	13	2.5	0.5
<b>Lower Extremity Long Bone</b>			
SAG T1	42-45	5	1
SAG T2 FS	42-45	5	1
COR T1	42-45	5	1
COR STIR	42-45	5	1
AX T1	22	6	2
AX STIR	22	6	2
AX T1 FS PRE	22	6	2
AX T1 FS +C	22	6	2
COR T1 FS +C	42-45	5	1
<b>Boney Pelvis</b>			
COR T1	36	5	1
COR STIR	36	5	1
AX T1	36	5	1
AX STIR	36	5	1
SAG T2 FS	36	5	1
AX T1 FS PRE	36	5	1
AX T1 FS +C	36	5	1
COR T1 FS +C	36	5	1
<b>Sacrum</b>			
AX T1 GLOBAL	40	5	1
AX STIR GLOBAL	40	5	1
SAG T2 FS	19	4	0.5
SAG T1	19	4	0.5
COR T2 FS	19	3	0.5
COR T1	19	3	0.5
AX T1	17	4	0.5
AX T2 FS	17	4	0.5
AX T1 FS PRE	17	4	0.5
AX T1 FS +C	17	4	0.5
SAG T1 FS +C	19	4	0.5